

CCCPL/DACHEPALLI/ENV/2023  
29<sup>th</sup> May, 2023

Inspector General of Forests (C),  
Ministry of Environment, Forest and Climate Change,  
Integrated Regional Office, Vijayawada Green House Complex,  
Gopalareddy Road, Vijayawada – 520010, Andhra Pradesh.

**Sub:** Submission of Six Monthly Compliance Report for Environmental Clearance of 3.5 MTPA Cement Plant, 8 MW WHRB Power Plant and 2X50 MW Captive Power Plant of M/s Chettinad Cement Corporation Private Limited located at Pedagarlapadu & Kesanupalli (V), Dachepalli (M), Guntur District, Andhra Pradesh for the period of October 2022 to March 2023 - Reg.

**Ref:** 1. F. No. J-11011/421/2011-IA.II(I) Dated 24<sup>th</sup> February, 2015 (EC).  
2. F. No. J-11011/421/2011-IA.II(I) Dated 27<sup>th</sup> October, 2020 (Name Change).

Dear Sir,

Reference with the Environmental Clearance cited above, we are herewith attaching six monthly compliance report for the period of October 2022 to March 2023 for 3.5 MTPA Cement Plant, 8 MW WHRB Power Plant and 2X50 MW Captive Power Plant of M/s Chettinad Cement Corporation Private Limited located at Pedagarlapadu & Kesanupalli (V), Dachepalli (M), Guntur District, Andhra Pradesh.

This is for your information & records please.

Thanking you,

Yours faithfully,

For Chettinad Cement Corporation Private Limited,

  
Seetharamulu Ch

 Joint President- Works (Unit Head)

CC:

1. Addl. Principal Chief Conservator of Forests (C), MoEF&CC, Regional Office (SEZ), 1<sup>st</sup> & 2<sup>nd</sup> Floor Handloom Export Promotion Council, Cathedral Garden Road, Nungambakkam, Chennai- 34 (Tamilnadu)
2. Regional Directorate, Central Pollution Control Board, A-Block, Nisarga Bhavan, 1<sup>st</sup> and 2<sup>nd</sup> Floors, 7<sup>th</sup> D Cross, Thimmaiah Road, Shivanagar, Bengaluru-560079 (Karnataka)
3. Environmental Engineer, Andhra Pradesh Pollution Control Board, Regional Office, D. No: 135-43, 1<sup>st</sup> Floor, Lucky Complex, JKC College Road, GUNTUR, AP – 522007

Encl: A/a

**Six Monthly Compliance Report –October 2022 to March 2023**

Sl. No.	Condition	Compliance Status																								
<b><u>SPECIFIC CONDITIONS:</u></b>																										
i.	The expansion project shall comply with the new MOEF standards vide GSR 612 (E) dated 25.8.2014 with respect to particulate Matter, SO <sub>2</sub> , NO <sub>x</sub> for Cement sector.	<ul style="list-style-type: none"> <li>We have installed Air Pollution Control Devices (APCD's) designed to achieve new emission standards vide GSR 612 (E) dated 25.8.2014 and we are complying with the standards.</li> </ul>																								
ii.	Continuous stack monitoring facilities to monitor gaseous emissions from the process stacks shall be provided. After expansion, limit of PM shall be controlled to meet prescribed standards by installing adequate air pollution control system. Electrostatic precipitators to clinker cooler, bag house to raw mill/kiln and bag filters to coal mill and cement mill. Low NO <sub>x</sub> burners shall be provided to control NO <sub>x</sub> emissions. Regular calibration of the instruments must be ensured.	<ul style="list-style-type: none"> <li>Details of Air Pollution Control Devices installed are as follows: <table border="1"> <thead> <tr> <th>Equipment</th><th>APCD</th><th>Qty</th></tr> </thead> <tbody> <tr> <td>Kiln &amp; Raw Mill</td><td>RABH</td><td>1 Nos</td></tr> <tr> <td>Coal Mill</td><td>Bag House</td><td>1 Nos</td></tr> <tr> <td>Clinker Cooler</td><td>ESP</td><td>1 Nos</td></tr> <tr> <td>Cement Mill</td><td>Bag House</td><td>1 Nos</td></tr> <tr> <td>LS P. Crusher</td><td>Bag Filter</td><td>1 Nos</td></tr> <tr> <td>LS S. Crusher</td><td>Bag Filter</td><td>1 Nos</td></tr> <tr> <td>Material Transfer Points</td><td>Bag Filters</td><td>85+ Nos</td></tr> </tbody> </table> </li> <li>We have installed state of art <b>Pyro Redox Low NO<sub>x</sub> Calciner</b> technology at our pyro processing section to reduce the NO<sub>x</sub> emissions below the prescribed standards.</li> <li>Continuous Emission Monitoring System (CEMS) is installed at Kiln &amp; Raw Mill stack, Coal Mill stack, Clinker Cooler stack &amp; Cement Mill stack.</li> <li>Photographs of Major APCE's, CEMS installed &amp; monitoring results are attached as <b>Annexure-1</b>.</li> <li>Regular calibration of CEMS instruments are being carried out.</li> </ul>	Equipment	APCD	Qty	Kiln & Raw Mill	RABH	1 Nos	Coal Mill	Bag House	1 Nos	Clinker Cooler	ESP	1 Nos	Cement Mill	Bag House	1 Nos	LS P. Crusher	Bag Filter	1 Nos	LS S. Crusher	Bag Filter	1 Nos	Material Transfer Points	Bag Filters	85+ Nos
Equipment	APCD	Qty																								
Kiln & Raw Mill	RABH	1 Nos																								
Coal Mill	Bag House	1 Nos																								
Clinker Cooler	ESP	1 Nos																								
Cement Mill	Bag House	1 Nos																								
LS P. Crusher	Bag Filter	1 Nos																								
LS S. Crusher	Bag Filter	1 Nos																								
Material Transfer Points	Bag Filters	85+ Nos																								
iii.	All the pollution control devices/equipment in raw mill/kiln, kiln feeding system, clinker cooler, coal mill, cement mill, and cement silo, shall be interlocked so that in the event of the pollution control devices/systems not working, the respective unit(s) shutdown automatically.	Prescribed Interlocking system has been provided so that in the event of the pollution control devices/systems not working, the respective unit(s) shutdown automatically.																								

**Six Monthly Compliance Report –October 2022 to March 2023**

Sl. No.	Condition	Compliance Status
iv.	Proper and full utilization of gases generated from the kiln in waste heat recovery boiler (WHRB) and a feasibility report shall be prepared and implemented as part of the integrated project.	<ul style="list-style-type: none"> <li>We have commissioned 20 MW Waste Heat Recovery Boiler Power Plant (WHRBPP) and obtained Consent for Operation Order on 03.07.2020 along with cement plant.</li> <li>As part of WHR system, we have installed PH boiler at Preheater and AQC boiler at Clinker Cooler to capture the waste heat gases.</li> <li>Further, these gases will move to the turbine and generates 20 MW electricity from waste gases</li> </ul>
v.	The proponent shall provide an interlocking system to ensure that whenever the ESP is not in operation, the raw material feeder will automatically stop and restart only with the restart of ESP.	Interlocking system has been provided to ensure that whenever the ESP is not in operation, the raw material feeder will automatically stop and restart only with the restart of ESP.
vi.	Secondary fugitive emissions shall be controlled and shall be within the prescribed limits and regularly monitored. Guidelines/code of practice issued by the CPCB in this regard shall be followed.	<ul style="list-style-type: none"> <li>Fugitive emission control measures like closed raw material sheds, closed conveying system, Bag filters at material transfer points, internal CC roads &amp; Water sprinkling on roads are in place.</li> <li>Photos of various fugitive emission control measures implemented and the monitoring results are presented in <b>Annexure-2</b>.</li> </ul>
vii.	Arsenic and Mercury shall be monitored periodically in emissions, ambient air and water.	<ul style="list-style-type: none"> <li>Our captive Power Plant establishment activities are under commencement.</li> <li>Once CPP comes under operation, we will monitor Mercury in the emissions.</li> <li>However, we are monitoring Arsenic and Mercury concentration periodically in water &amp; reports of the same are being submitted.</li> </ul>
viii.	The coal storage yard shall be lined and covered.	Construction of storage shed for coal Completed. Photograph of the same are attached as <b>Annexure-3</b> .
ix.	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land. All the raw materials including fly ash shall be transported in the closed containers only and shall not be overloaded. The company shall have separate truck parking area. Vehicular emissions shall be regularly monitored.	<ul style="list-style-type: none"> <li>All raw material transport vehicles are reaching the plant premises with tarpaulin coverings. Fly ash transported through closed container trucks (Bouzers) only.</li> <li>Separate truck parking area with Cement Concrete is established.</li> <li>Vehicular emissions are monitored by regular pollution checks.</li> </ul>

**Environmental Clearance F. N. J-11011/421/2011-IA.II (I) Dated 24<sup>th</sup> February, 2015**
**Six Monthly Compliance Report –October 2022 to March 2023**

Sl. No.	Condition	Compliance Status
x.	Total fresh water requirement after the proposed expansion of the cement and captive power plant shall not exceed 2000 m <sup>3</sup> /day to be sourced from the groundwater and River Krishna. Prior permission shall be obtained from the competent authority for water drawl. A five year water management plan shall be made so as to achieve reduction in ground water withdrawal.	Currently water requirement is met through Groundwater (Bore Wells) only and Permission for withdrawal of 1800 KLD ground water has been obtained from AP Groundwater department vide Lr. No. 298/T/SDP/GNT/2015-16 Dated 21.07.2015. Copy of permission letter attached as <b>Annexure-4.</b>
xi.	Efforts shall be made to further reduce water consumption by using air cooler condensers. All the treated wastewater shall be recycled and reused in the process and/or for dust suppression and green belt development and other plant related activities etc. No process wastewater shall be discharged outside the factory premises and 'zero' discharge shall be adopted.	<ul style="list-style-type: none"> <li>Air Cooled Condensers are installed for WHRB power plant to reduce the water consumption.</li> <li>No wastewater generation from Cement manufacturing process.</li> <li>Domestic waste water generated is treated in Sewage Treatment Plant (STP) and treated water is used for greenbelt development within the premises.</li> </ul>
xii.	Efforts shall be made to make use of rain water harvested. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources.	Roof top rainwater harvesting system has been planned in the colony & Plant area by providing percolation pits. System will be established shortly. Rainwater harvesting Pit is developed at Mines.
xiii.	Regular monitoring of influent and effluent, surface, sub-surface and ground water shall be ensured and treated wastewater shall meet the norms prescribed by the state pollution control board or described under the environment(Protection) Act,1986 whichever are more stringent. Leachate study for the effluent generated and analysis shall also be regularly carried out and report submitted to be Ministry's Regional Office at Chennai, SPCB and CPCB.	<ul style="list-style-type: none"> <li>Effluent water will not generate from cement manufacturing process. Effluent water generated from WHRB being treated in N-Pit to confirming prescribed standards during operation of the WHRBPP.</li> <li>Treated sewage water from STP is being analyzer.</li> <li>Ground water collected from nearby villages is being analyzed.</li> <li>The analysis results are attached as <b>Annexure-5.</b></li> </ul>
xiv.	All the bag filter dust, raw mill dust, coal dust, clinker dust and cement dust from pollution control devices shall be recycled and reused in the process and used for cement manufacturing. Spent oil and batteries shall be sold to authorized recyclers/ reprocessors only.	<ul style="list-style-type: none"> <li>System is established to recycle and reuse the Bag filter dust, raw mill dust, coal dust, clinker dust and cement dust from pollution control devices in to the process.</li> <li>Spent Oil &amp; Used batteries will be sent to authorized recyclers/ reprocessors only.</li> </ul>





# Chettinad Cement Corporation Private Limited

(Formerly Chettinad Cement Corporation Limited)

Pedagarlpadu & Kesanupalli (V),  
Dachepalli (M), Guntur District, Andhra Pradesh – 522437

\*\*\*\*

**Environmental Clearance F. N. J-11011/421/2011-IA.II (I) Dated 24<sup>th</sup> February, 2015**

## Six Monthly Compliance Report –October 2022 to March 2023

Sl. No.	Condition	Compliance Status
xv.	All the fly ash shall be utilized as per fly ash notification 1999 subsequently amended in 2003 and 2008. Efforts shall be made to use fly ash maximum in making Pozzolona Portland Cement (PPC). A detailed study on chemical composition of coal used particularly heavy metal and radio activity contents shall be carried out through a reputed institute and report shall be submitted to regional office of the Ministry at Chennai. Only after ascertaining its radioactive level shall fly ash be supplied for utilization in cement manufacturing.	Captive Thermal Power Plant project activities are under commencement. Once CPP comes under operation we will analyze the chemical composition of the coal with respect to heavy metals & radioactive elements.
xvi.	Efforts shall be made to use low-grade lime, more fly ash and solid waste in the cement manufacturing.	Condition is duly noted and will be complied.
xvii.	The proposed cement plant kiln shall be provided with a flexible fuel feeding system to enable use of hazardous wastes such as oil sludge, cut tyres, etc.	Our Cement kiln is designed with a flexible fuel feeding system for usage of hazardous wastes such as oil sludge, cut tyres, etc.
xviii.	The proponent shall examine and prepare a plan for utilization of high calorific wastes, distillation residues, refuse derived fuels, etc. as alternate fuels based on availability and composition. For this, the proponent shall identify suitable industries with such wastes and enter into an MOU for long-term utilization of such wastes as per the E(P) A Rules, 1986 and with necessary approvals.	We have developed dedicated Pre-Processing & Co-processing facility with an investment of 21.07 crores. We have obtained amendment in our CFO for Pre-processing & Co-processing facility for handling of Hazardous Wastes, Non-Hazardous wastes, Rubber Wastes as a fuel in the Cement Plant Kiln vide Amendment Order No. APPCB/VJA/GNT/347/CFO/HO/2020 dated 27.09.2022. We will identify suitable industries with such wastes and undergo MOU for long-term utilization of such wastes.

**Six Monthly Compliance Report –October 2022 to March 2023**

Sl. No.	Condition	Compliance Status
xix.	As proposed, green belt over 33% of the total project area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.	<ul style="list-style-type: none"> <li>Greenbelt development activity has been started and being developed in phased manner with local/native plant species.</li> <li>We have developed greenbelt all along the plant boundary, along the internal roads and in vacant places.</li> <li>As on 31.03.2023, greenbelt is developed in an area of 96.68 Acres.</li> <li>Photos showing greenbelt development is attached as <b>Annexure-6</b>.</li> <li>We have already started land development works for greenbelt development in another 10.54 Acres. Work is under progress.</li> </ul>
xx.	All the recommendations made in the charter on Corporate Responsibility for Environment Protection (CREP) for the cement plants shall be implemented.	CREP guidelines are being complied. Compliance status of the same is attached as <b>Annexure -7</b> .
xxi.	All the commitments made to the public during the Public Hearing/Public consultation meeting held on 05.03.2014 shall be satisfactorily implemented and a separate budget for implementing the same shall be allocated and information submitted to be Ministry's Regional Office at Bangalore.	<ul style="list-style-type: none"> <li>During Public hearing meeting held on 05.03.2014, most of the concerns raised for Job opportunities, environmental protection &amp; infrastructure development in surrounding villages.</li> <li>Job opportunities has been given to the nearby villagers, Advance Environmental protection measures are under implementation to prevent the surrounding areas from Pollution, Infrastructure development like Concrete approach road has been made to protect the agricultural land located along the road from fugitive emission and other developmental measures are being taken based on the need raised in the phased manner.</li> </ul>

**Six Monthly Compliance Report –October 2022 to March 2023**

Sl. No.	Condition	Compliance Status
xxii.	The proponent shall prepare a detailed CSR Plan for every next 5 years for the existing-cum-expansion project, which includes village-wise, sector-wise (Health, Education, Sanitation, Health, Skill Development and infrastructure requirements such as strengthening of village roads, avenue plantation etc, activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the Plan shall be submitted as part of the Compliance Report to RO, Bangalore. The details of the CSR plan shall also be uploaded on the company website and shall also be provided in the Annual Report of the company.	<ul style="list-style-type: none"> <li>Detailed CSR plan was submitted along with EIA report (Chapter-8).</li> <li>We are carrying out CSR activities with focus on Health, Education, sanitation and infrastructure development in nearby villages.</li> <li>We ensure that 2% of the profit amount is spent for CSR activities.</li> </ul>
xxiii.	Risk Assessment and Disaster Management Plan with focus on Disaster Prevention and Safety shall be prepared and a copy submitted to the Ministry's Regional Office at Bangalore, SPCB and CPCB within 3 months of issue of environment clearance letter.	Detailed risk assessment, emergency management & Disaster Management Plan are included in the EIA report which was submitted to the ministry.
xxiv.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Provisions like sheds with necessary facilities like sanitation, drinking water, electricity & health care facilities have been made for the construction labors.
<b>GENERAL CONDITIONS:</b>		
i.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.	Condition is duly noted. Prior approval will be obtained for any expansions & modifications.

**Six Monthly Compliance Report –October 2022 to March 2023**

Sl. No.	Condition	Compliance Status
ii.	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> and NO <sub>x</sub> are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bangalore and the SPCB/CPCB once in six months.	<ul style="list-style-type: none"> <li>Ambient air quality is being monitored for PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub> parameters at 4 locations around plant boundary by engaging NABL approved third party laboratory.</li> <li>Monitoring results are attached as <b>Annexure-8</b>.</li> <li>Data on ambient air quality and stack emission monitoring are being submitted to MOEFCC RO, CPCB &amp; APPCB along with six monthly compliance reports.</li> </ul>
iii.	Industrial wastewater shall be properly collected, treated so as to conform to be standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	<ul style="list-style-type: none"> <li>No wastewater generation is envisaged from Cement manufacturing activity.</li> <li>Effluent water generated from WHRB is being treated in N-Pit to confirming prescribed standards during operation of the WHRBPP.</li> <li>The treated wastewater being utilized for dust suppression &amp; road wetting activities.</li> </ul>
iv.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70dBA (night time).	<ul style="list-style-type: none"> <li>Source noise control measures are implemented by providing acoustic hoods, silencers, enclosures to high noise generating equipment.</li> <li>Ambient noise levels are being monitored at plant boundary &amp; nearby villages.</li> <li>Ambient &amp; Source noise levels monitoring results are attached as <b>Annexure-8</b>.</li> </ul>
v.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Condition is duly noted & will be complied. Pre-employment health checkup of the employees is being carried out.
vi.	The company shall develop surface water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	Roof top rainwater harvesting system has been planned in the colony & Plant area by providing percolation pits. System will be established shortly. Rainwater harvesting Pit is developed at Mines.



**Six Monthly Compliance Report –October 2022 to March 2023**

Sl. No.	Condition	Compliance Status
vii.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socioeconomic development activities in the surrounding villages like community development programs, educational programs, drinking water supply and health care etc.	<ul style="list-style-type: none"> <li>All the environmental protection measures and safeguards recommended in the EIA/EMP report are being complied</li> <li>Undertaking socioeconomic development activities in the surrounding villages like community development programs, educational programs, drinking water supply and health care etc. under CSR program.</li> <li>We ensure that 2% of the profit amount is spent for CSR activities.</li> </ul>
viii.	Requisite amount shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Bangalore. The funds so provided shall not be diverted for any other purpose.	<ul style="list-style-type: none"> <li>Required capital &amp; recurring fund has been allocated to implement the conditions stipulated by MoEF&amp;CC as well as APPCB.</li> <li>All the Bag Houses &amp; Bag filters are installed for dust controlling.</li> <li>Coal Storage shed construction is completed.</li> <li>Storage shed for limestone, Gypsum &amp; Additives was completed. Greenbelt is being developed in phased manner.</li> <li>The funds so allocated are not diverted for any other purpose.</li> </ul>
ix.	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad / Municipal Corporation Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	Condition is complied.

**Environmental Clearance F. N. J-11011/421/2011-IA.II (I) Dated 24<sup>th</sup> February, 2015**
**Six Monthly Compliance Report –October 2022 to March 2023**

Sl. No.	Condition	Compliance Status
x.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEF at Bangalore. The respective Zonal Office of CPCB and SPCB. The criteria pollutant levels namely; PM10, PM2.5, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	<ul style="list-style-type: none"> <li>Status of compliance of the stipulated environment clearance conditions are being submitted on six monthly basis to RO of the MOEFCC at Chennai, ZO of CPCB at Bangalore and APPCB at Vijayawada.</li> <li>Copies of compliance reports along with monitoring reports are displayed in our company website at below link: <a href="https://www.chettinad.com/cements_plants.php?site=Dachepalli">https://www.chettinad.com/cements_plants.php?site=Dachepalli</a></li> <li>Real time board for display of critical parameters at main gate was installed. Display Board Photograph attached as <b>Annexure-9.</b></li> </ul>
xi.	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bangalore/CPCB/SPCB shall monitor the stipulated conditions.	Compliance of the stipulated environmental conditions and results of monitored data are being submitted to RO of the MOEFCC at Chennai, ZO of CPCB at Bangalore and RO of APPCB at Guntur on every six months.
xii.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to be concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEF at Bangalore by email	Environmental Statement (Form-V) Report for the financial year 2021-22 has been submitted dated 28.09.2022 to APPCB & RO of the MOEF at Vijayawada (by E-mail).

**Six Monthly Compliance Report –October 2022 to March 2023**

Sl. No.	Condition	Compliance Status
xiii.	The Project proponent shall inform the public that the project has been accorded environmental clearance of the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment and Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Bangalore.	EC accorded Advertisement given in the local newspaper (Telugu and English) which are presented in the <b>Annexure-10</b> . ➤ English – The Hindu dt.06.03.2015. ➤ Telugu – Eenadu (Guntur edition) dt 06.03.2015.
xiv.	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	<ul style="list-style-type: none"> <li>• Project Land development was commenced from Nov' 2016 after obtaining Consent for Establishment order from APPCB.</li> <li>• Consent for Operation was obtained from AP Pollution Control Board for 3.5 MTPA Cement &amp; 20 MW WHRB on 03.07.2020.</li> </ul>

**ANNEXURE-1**

Major Air pollution control system installed at our plant such as RABH & ESP are designed to achieve the prescribed emission standards.

**RABH for Kiln & Raw Mill****ESP for Clinker Cooler****Bag House for Coal Mill****Bag House for Cement Mill**



**Six Monthly Compliance Report –October 2022 to March 2023****Continuous Emission Monitoring System (CEMS)**

PM &amp; Gaseous CEMS for Kiln &amp; Raw Mill RABH Stack



PM CEMS for Coal Mill Bag House Stack



PM CEMS for Clinker Cooler ESP Stack



PM CEMS for Cement Mill Bag House Stack



**Six Monthly Compliance Report –October 2022 to March 2023**
**Stack Emission Monitoring Results**

Sl. No.	Stack Attached to	Parameter	Standard mg/Nm <sup>3</sup>	Oct'22	Nov'22	Dec'22
1	Kiln/Raw Mill	PM	30	14.23	12.89	16.31
		SO <sub>2</sub>	100	<1.0	<3.4	15.0
		NO <sub>x</sub>	600	305.0	250.1	283.6
2	Cooler ESP	PM	30	12.57	21.61	19.68
3	Coal Mill	PM	30	20.8	14.60	18.9
4	Cement Mill	PM	30	18.39	15.25	11.95
5	Crusher	PM	30	15.22	16.57	19.24

Sl. No.	Stack Attached to	Parameter	Standard Mg/Nm <sup>3</sup>	Jan'23	Feb'23	Mar'23
1	Kiln/Raw Mill	PM	30	14.94	13.81	14.6
		SO <sub>2</sub>	100	19.0	22.0	16.0
		NO <sub>x</sub>	600	331.5	319.2	297.0
2	Cooler ESP	PM	30	21.55	20.9	22.6
3	Coal Mill	PM	30	20.50	22.4	21.9
4	Cement Mill	PM	30	18.67	16.3	15.5
5	Crusher	PM	30	17.15	19.5	18.6

**Fugitive Emissions Control Measures**

Provided adequate bag filters at different material transfer points, closed conveying systems, constructed clinker silo, fly ash silo etc. for avoiding fugitive emissions.



Bag Filter at L/S primary crusher and closed building



Bag Filter at L/S secondary crusher




Closed limestone conveying system circuit



Closed Coal Conveying System



Bag Filters at Flyash silo Top



Bag Filters at Blending silo Top

**Six Monthly Compliance Report –October 2022 to March 2023**

Water spraying through tankers



Water spraying by mechanical sprinklers



Road sweeping machine



Road sweeping machine



Internal CC roads



Internal CC roads

**Six Monthly Compliance Report –October 2022 to March 2023**


---

**Fugitive Emission Monitoring Results**
**Oct'22 - Dec'22**

Sr. No	Location	UoM	Results	Limits
1	Near Lime Stone Stock Pile	$\mu\text{g}/\text{m}^3$	718.4	<b>5000</b>
2	Near Cement Mill	$\mu\text{g}/\text{m}^3$	459.3	
3	Near Packing Plant	$\mu\text{g}/\text{m}^3$	511.6	
4	Near Additives Yard	$\mu\text{g}/\text{m}^3$	637.1	
5	Near Clinker Yard	$\mu\text{g}/\text{m}^3$	673.5	
6	Near Coal Yard	$\mu\text{g}/\text{m}^3$	464.9	<b>2000</b>

**Jan'23 – Mar'23**

Sr. No	Location	UoM	Results	Limits
1	Near Lime Stone Stock Pile	$\mu\text{g}/\text{m}^3$	725.9	<b>5000</b>
2	Near Cement Mill	$\mu\text{g}/\text{m}^3$	461.5	
3	Near Packing Plant	$\mu\text{g}/\text{m}^3$	523.1	
4	Near Additives Yard	$\mu\text{g}/\text{m}^3$	629.3	
5	Near Clinker Yard	$\mu\text{g}/\text{m}^3$	665.8	
6	Near Coal Yard	$\mu\text{g}/\text{m}^3$	452.6	<b>2000</b>



**Six Monthly Compliance Report –October 2022 to March 2023**

Provided dedicated closed sheds for Limestone, Coal, Gypsum, additives  
Storing the raw materials in the sheds to avoid fugitive emissions



Closed Limestone Storage Shed



Closed Additive Storage Shed



Gypsum storage shed & Closed conveying system

**ANNEXURE-3**

**Coal Storage Shed**

Coal Storage Shed Construction Completed



**1800 KLD Ground Water Withdrawal Permission****GOVERNMENT OF ANDHRA PRADESH  
GROUND WATER DEPARTMENT**From:

Sri M. Rama Prasad, M.Sc.,  
Deputy Director,  
Ground Water Department,  
¼ Ramannapet, G U N T U R,  
Phone No. 0863-2230767  
Fax No. 0863-2250930

To:

M/s. Chettinad Cement Corporation Limited,  
Pedagarlpadu (V),  
Dachepally(M),  
Guntur District.

Lr.No. 298/T/SDP/GNT/2015-16/Dated: 21.07.2015

Sir,

Sub:- Ground Water Department, Guntur – Single Window – Furnishing the  
Approved report of M/s. Chettinad Cement Corporation Limited,  
Pedagarlpadu (V) of Dachepally (M) in Guntur District – Regarding.


Ref:- Head Office Memo No. 1218/Hg-II/2015, Dated:- 20.07.2015.

\*\*\*\*\*

With reference to the subject and reference cited above, I am herewith furnishing the  
ground water investigation report of M/s. Chettinad Cement Corporation Limited,  
Pedagarlpadu (V) of Dachepally (M) in Guntur District is **approved** by the Director,  
Ground Water Department, Hyderabad. The firm is permitted to draw 1800 kld from 20  
newly recommended Bore wells at V<sub>1</sub>, V<sub>2</sub>, V<sub>3</sub>, V<sub>4</sub>, V<sub>6</sub>, V<sub>7</sub>, V<sub>8</sub>, V<sub>9</sub>, V<sub>10</sub>, V<sub>14</sub>, V<sub>15</sub>, V<sub>16</sub>, V<sub>17</sub>, V<sub>18</sub>,  
V<sub>19</sub>, V<sub>20</sub>, V<sub>21</sub>, V<sub>24</sub>, V<sub>25</sub> and V<sub>26</sub> @ 10 hours of pumping in a day.

Encls: 1) Report Copy

Yours Faithfully,

  
DEPUTY DIRECTOR. 21/7/15

Copy submitted to the Director, Ground Water Department, Hyderabad for favour of  
information.

Copy submitted to the Commissioner of Industries, Government of Andhra Pradesh, Chirag  
Ali lane, Hyderabad for favour of information.

**ANNEXURE-5**
**Treated Sewage Water Analysis Report**

Sl. No.	Parameter	APPCB Standards	Oct'22	Nov'22	Dec'22	Jan'23	Feb'23	Mar'23
1	pH @ 25°C	6.5-9.0	7.33	7.25	6.98	6.85	7.52	7.17
2	Total Suspended Solids (TSS)	<100 mg/L	28	26	29	25	22	20
3	Oil and Grease	10 mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4	Biochemical Oxygen Demand (BOD)	30 mg/L	6.9	7.2	6.2	7.4	6.8	3.1
6	Fecal coliforms (FC)	<1000 MPN/100mL	94	88	25.3	28	45	35

**Treated WHRB Outlet Water Analysis Report**

Sl. No.	Parameter	APPCB Standards	Oct'22	Nov'22	Dec'22	Jan'23	Feb'23	Mar'23
1	pH @ 25°C	5.5-9.0	7.61	8.09	7.56	7.45	8.23	7.62
2	Total Suspended Solids (TSS)	200 mg/L	<1.0	<1.0	<1.0	3.0	5.0	5.0
3	Oil and Grease	10 mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4	Biochemical Oxygen Demand (BOD)	100 mg/L	7.24	6.60	7.5	6.9	6.2	5.2

**Six Monthly Compliance Report –October 2022 to March 2023**
**Ground Water Quality (Requirement Limits as per IS 10500-2012)**
**Post-Monsoon Season (Oct'22 - Dec'22)**

Sl. No.	Parameter Name	UoM	Requirement	Loc-1	Loc-2	Loc-3	Loc-4	Loc-5	Loc-6
1	pH @ 25°C	--	6.5 – 8.5	7.88	7.28	6.84	7.17	7.49	7.02
2	Total Hardness as CaCO <sub>3</sub>	mg/l	600(200)	281	343	346	136	214	406
3	Total Dissolved Solids	mg/l	2000 (500)	812	1065	789	297	632	1685
4	Chlorides as Cl	mg/l	1000 (250)	189.6	275.8	216.5	65.2	163.5	506.3
5	Sulfates as SO <sub>4</sub>	mg/l	400 (200)	74.6	142.5	57.4	21.2	48.3	157.2
6	Nitrates as NO <sub>3</sub>	mg/l	45 NR	5.7	9.6	8.3	1.5	4.7	12.8
7	Fluoride as F	mg/l	1.5 (1.0)	0.8	1.0	0.6	0.5	0.7	1.0
8	Colour	Hazen	15(5)	2.0	3.0	2.0	1.0	2.0	3.0
9	Electrical Conductivity	µs/cm	--	1270	1676	1248	465	995	2690
10	Cadmium as Cd	mg/l	Max 0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
11	Chromium as Cr	mg/l	Max 0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
12	Copper as Cu	mg/l	1.5 (0.05)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
13	Taste	--	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
14	Iron as Fe	mg/l	Max 1.0 NR	0.03	0.07	0.03	0.02	0.09	0.09
15	Manganese as Mn	mg/l	0.3(0.1)	0.01	0.01	<0.01	<0.01	<0.01	0.02
16	Nickel as Ni	mg/l	Max 0.02 NR	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
17	Lead as Pb	mg/l	Max 0.01 NR	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
18	Odour	--	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
19	Turbidity	NTU	5(1)	<1	1	<1	<1	<1	1
20	Arsenic as As	mg/l	Max 0.01 NR	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
21	Total Alkalinity	mg/l	600(200)	281	290	250	120	210	410
22	Mercury as Hg	mg/l	Max 0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
23	Aluminum as Al	mg/l	---	<0.01	0.01	0.01	<0.01	<0.01	0.02
24	Calcium as Ca	mg/l	200(75)	65.8	76.6	89.7	28.4	63.5	97.6
25	Magnesium as Mg	mg/l	100(30)	28.3	36.8	29.6	15.7	13.4	39.4
26	Residual Chlorine	mg/l	4.0(NR)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
27	Boron as B	mg/l	2.4(0.5)	0.06	0.07	0.04	0.02	0.05	0.08
28	Sodium as Na	mg/l	--	159.3	224.5	126.2	45.3	128.4	298.4
29	Potassium as K	mg/l	--	5.4	6.2	3.34	2.31	3.18	24.6
30	Phenolic Compounds	mg/l	0.002(0.001)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
31	Cyanide as CN	mg/l	0.05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
32	Anionic Detergents	mg/l	1.0(0.2)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
33	Mineral Oil	mg/l	0.5 (NR)	Absent	Absent	Absent	Absent	Absent	Absent
34	Arsenic as As	mg/l	0.01 NR	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
35	Selenium as se	mg/l	0.01 NR	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
36	Zinc as Zn	mg/l	15(5)	0.08	0.26	0.14	0.07	0.11	0.13
37	Total Coliforms	MPN/100ml	Absent	Absent	Absent	Absent	Absent	Absent	Absent
38	Pesticides	mg/l	--	BDL	BDL	BDL	BDL	BDL	BDL

Loc-1: Mine Site, Loc-2: Plant Site, Loc-3: Takkellapadu, Loc-4: Veerapuram, Loc-5: Pedagarlapadu,  
Loc-6: Kachavaram, BLQ-Below the Limit of Quantitation, BDL-Below the Detectable Limit, AB – Absent

**Environmental Clearance F. N. J-11011/421/2011-IA.II (I) Dated 24<sup>th</sup> February, 2015**
**Six Monthly Compliance Report –October 2022 to March 2023**
**Ground Water Quality (Requirement Limits as per IS 10500-2012)**
**Winter Season (Jan'23 - Mar'23)**

Sl. No.	Parameter Name	UoM	Requirement	Loc-1	Loc-2	Loc-3	Loc-4	Loc-5	Loc-6
1	pH @ 25°C	--	6.5 – 8.5	7.48	7.41	7.22	8.01	7.26	7.16
2	Total Hardness as CaCO <sub>3</sub>	mg/l	600(200)	290	405	330	170	290	350
3	Total Dissolved Solids	mg/l	2000 (500)	994	1368	1011	430	1496	1630
4	Chlorides as Cl	mg/l	1000 (250)	240	230	140	75	240	485
5	Sulfates as SO <sub>4</sub>	mg/l	400 (200)	118	374	264	58.6	342	152.6
6	Nitrates as NO <sub>3</sub>	mg/l	45 NR	6.8	42.5	39.8	3.7	40.5	13.2
7	Fluoride as F	mg/l	1.5 (1.0)	0.87	0.92	0.72	0.57	0.78	1.02
8	Colour	Hazen	15(5)	1.0	1.0	1.0	1.0	1.0	1.0
9	Electrical Conductivity	µs/cm	--	1535	2120	1564	656	2360	2520
10	Cadmium as Cd	mg/l	Max 0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
11	Chromium as Cr	mg/l	Max 0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
12	Copper as Cu	mg/l	1.5 (0.05)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
13	Taste	--	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
14	Iron as Fe	mg/l	Max 1.0 NR	0.06	0.11	0.08	0.03	0.18	0.13
15	Manganese as Mn	mg/l	0.3(0.1)	0.02	0.04	<0.01	<0.01	<0.01	0.05
16	Nickel as Ni	mg/l	Max 0.02 NR	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
17	Lead as Pb	mg/l	Max 0.01 NR	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
18	Odour	--	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
19	Turbidity	NTU	5(1)	<1	1	<1	<1	<1	1
20	Arsenic as As	mg/l	Max 0.01 NR	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
21	Total Alkalinity	mg/l	600(200)	295	300	250	145	410	400
22	Mercury as Hg	mg/l	Max 0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
23	Aluminum as Al	mg/l	---	<0.01	<0.02	0.02	<0.01	<0.01	0.03
24	Calcium as Ca	mg/l	200(75)	60.0	84.0	72.4	48.2	56.0	102
25	Magnesium as Mg	mg/l	100(30)	34.0	48.0	36.1	12.1	36.2	24.1
26	Residual Chlorine	mg/l	4.0(NR)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
27	Boron as B	mg/l	2.4(0.5)	0.08	0.09	0.08	0.05	0.09	0.11
28	Sodium as Na	mg/l	--	198.5	284	174.6	64.5	362	399.2
29	Potassium as K	mg/l	--	36.1	21.6	41.5	5.2	49.5	27.8
30	Phenolic Compounds	mg/l	0.002(0.001)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
31	Cyanide as CN	mg/l	0.05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
32	Anionic Detergents	mg/l	1.0(0.2)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
33	Mineral Oil	mg/l	0.5 (NR)	Absent	Absent	Absent	Absent	Absent	Absent
34	Arsenic as As	mg/l	0.01 NR	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
35	Selenium as se	mg/l	0.01 NR	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
36	Zinc as Zn	mg/l	15(5)	0.10	0.30	0.16	0.09	0.21	0.09
37	Total Coliforms	MPN/100ml	Absent	Absent	Absent	Absent	Absent	Absent	Absent
38	Pesticides	mg/l	--	BDL	BDL	BDL	BDL	BDL	BDL

Loc-1: Mine Site, Loc-2: Plant Site, Loc-3: Takkellapadu, Loc-4: Veerapuram, Loc-5: Pedagarlpadu,  
Loc-6: Kachavaram, BLQ-Below the Limit of Quantitation, BDL-Below the Detectable Limit, AB – Absent



# Chettinad Cement Corporation Private Limited

(Formerly Chettinad Cement Corporation Limited)

Pedagarlpadu & Kesanupalli (V),  
Dachepalli (M), Guntur District, Andhra Pradesh – 522437

\*\*\*\*

**Environmental Clearance F. N. J-11011/421/2011-IA.II (I) Dated 24<sup>th</sup> February, 2015**

## Six Monthly Compliance Report –October 2022 to March 2023

### ANNEXURE-6

#### Greenbelt Development

Year of Plantation	No's Saplings Planted	Area in Ha	Area in Acres	Survival Rate (%)
2017-18	4500	4.05	10.00	96%
2018-19	2800	2.52	6.22	96%
2019-20	3411	1.82	4.49	98%
2020-21	2705	2.43	6.01	98%
2021-22	24186	22.17	54.77	90%
2022-23	6847	6.14	15.18	90%
<b>Total</b>	<b>44,449</b>	<b>39.13</b>	<b>96.68</b>	

#### Type of Saplings: Native

Neem (Azadiraktha Indica)

Pacha Sunkesula, Konda Chintha (Peltophorum Pterocarpum)

Badam (Terminalia Catappa)

Turayi, Gulmohar (Delonix Regia)

Seema Thangedu (Senna Ariculata)

Kanuga (Pongamia Pinneta)

Conacorpus (Dubai)

Silver Oak

Bignonia mega potanica

Spathodia



**Six Monthly Compliance Report –October 2022 to March 2023**







**Six Monthly Compliance Report –October 2022 to March 2023**

---

**Plantation carried out during Oct-22 to Mar-23**

**ANNEXURE-7**
**Charter on corporate responsibility for Environmental protection (CREP)**
**(Cement Industry)**

Sl. No.	Description of Condition	Status of Compliance
I.	Cement Plants, which are not complying with notified standards, shall do the following to meet the standards. <ul style="list-style-type: none"> <li>Augmentation of existing Air Pollution Control Devices - by July 2003.</li> <li>Replacement of existing APCD - by July 2004.</li> </ul>	We have installed Air Pollution Control Devices (APCDs) designed to achieve new emission standards vide GSR 612 (E) dated 25.8.2014 and we are complying with the standards.
II.	Cement Plants located in critically polluted or urban areas (including 5 km distance outside urban boundary) will meet 100 mg/ Nm3 limit or particulate matter by December 2004 and continue working to reduce the emission of particulate matter to 50 mg/Nm3.	We are complying with Particulate Matter emission standards of 30 mg/Nm3.
III.	The new cement kilns to be accorded NOC/Environmental Clearance w.e.f 01.04.2003 will meet the limit of 50 mg/Nm3 for particulate matter emissions.	We are complying with Particulate Matter emission standards of 30 mg/Nm3.
IV.	CPCB will evolve load-based standards by December 2003.	Noted.
V.	CPCB and NCBM will evolve SO2 and NOx emission standards by June 2004.	Noted.
VI.	The Cement industries will control fugitive emissions from all the raw material and products storage and transfer points by December 2003. However, the feasibility for the control of fugitive emissions from limestone and coal storage areas will be decided by the National Task Force (NTF). The NTF shall submit its recommendations within three months.	Fugitive emissions are controlled by establishing closed raw material sheds, closed conveying system; Bag filters at material transfer points, internal CC roads & Water sprinkling on roads.
VII.	CPCB, NCBM, BIS and Oil refineries will jointly prepare the policy on use of petroleum cokes as fuel in cement kiln by July 2003.	Noted.
VIII.	After performance evaluation of various types of continuous monitoring equipment and feedback from the industries and equipment manufacturers, NTF will decide feasible unit operations/ sections for installation of continuous monitoring equipment. The industry will install the continuous monitoring systems (CMS) by December 2003	Continuous Emission Monitoring System (CEMS) are installed at our Kiln & Raw Mill stack, Coal Mill stack, Clinker Cooler stack & Cement Mill stack and connected to APPCB & CPCB websites.
IX.	Tripping in kiln ESP to be minimized by July 2003 as per the recommendations of NTF.	This condition may not applicable to us as we are having Reverse Air Bag House for Kiln as APCD. No trappings were observed at Clinker Cooler ESP.
X.	Industries will submit the target date to enhance the utilization of waste material by April, 2003.	We have developed dedicated Co-processing & Pre-Processing facility with an investment of 21.07 crores. We have obtained CFO for Co-processing & Pre-Processing facility for utilization of high calorific wastes as AFR.
XI.	NCBM will carry out a study on hazardous waste utilization in cement kiln by December 2003.	Noted.
XII.	Cement industries will carry out feasibility study and submit target dates to CPCB for co-generation of power by July 2003. *Noncomplying units shall give bank guarantee to respective SPCB's.	We are having 20 MW Waste Heat Recovery Boiler Power Plant.

**Six Monthly Compliance Report –October 2022 to March 2023**
**ANNEXURE-8**
**Ambient Air Quality Monitoring Data**
**Particulate Matter Less than 10 Microns (PM<sub>10</sub>) - µg/m<sup>3</sup>**

Sl. No.	AAQ Location	Oct'22	Nov'22	Dec'22	Jan'23	Feb'23	Mar'23
1	Near Plant Main Gate	58.4	62.8	58.3	56.4	57.9	56.5
2	North West Corner (Store Backside)	54.8	58.6	50.4	52.4	55.6	54.9
3	Near CAAQMS Downwind (Project Office)	51.6	54.2	51.8	48.9	52.2	53.4
4	Near CAAQMS Upwind (Security Barracks)	49.8	52.8	57.6	55.3	54.5	55.6
NAAQMS:2009 Standards:		100 µg/m <sup>3</sup>					

**Particulate Matter Less than 2.5 Microns (PM<sub>2.5</sub>) - µg/m<sup>3</sup>**

Sl. No.	AAQ Location	Oct'22	Nov'22	Dec'22	Jan'23	Feb'23	Mar'23
1	Near Plant Main Gate	29.2	31.4	27.5	26.9	29.3	25.7
2	North West Corner (Store Backside)	27.4	29.3	20.6	21.7	23.4	21.5
3	Near CAAQMS Downwind (Project Office)	25.8	27.1	21.2	20.5	21.8	20.9
4	Near CAAQMS Upwind (Security Barracks)	24.9	26.4	25.2	24.6	22.5	23.5
NAAQMS:2009 Standards:		60 µg/m <sup>3</sup>					

**Sulphur Dioxide (SO<sub>2</sub>) - µg/m<sup>3</sup>**

Sl. No.	AAQ Location	Oct'22	Nov'22	Dec'22	Jan'23	Feb'23	Mar'23
1	Near Plant Main Gate	12.4	14.6	13.9	12.4	13.1	12.3
2	North West Corner (Store Backside)	11.2	12.6	10.3	11.1	10.9	11.1
3	Near CAAQMS Downwind (Project Office)	10.8	11.2	10.7	10.2	11.3	10.6
4	Near CAAQMS Upwind (Security Barracks)	10.2	10.8	14.7	12.9	12.6	12.1
NAAQMS:2009 Standards:		80 µg/m <sup>3</sup>					

**Nitrogen Dioxide (NO<sub>2</sub>) - µg/m<sup>3</sup>**

Sl. No.	AAQ Location	Oct'22	Nov'22	Dec'22	Jan'23	Feb'23	Mar'23
1	Near Plant Main Gate	14.6	16.8	18.5	16.7	18.9	17.5
2	North West Corner (Store Backside)	13.8	14.2	14.7	14.8	16.2	15.9
3	Near CAAQMS Downwind (Project Office)	12.6	12.6	14.1	14.4	17.5	16.2
4	Near CAAQMS Upwind (Security Barracks)	11.4	11.5	19.3	17.1	18.2	17.3
NAAQMS:2009 Standards:		80 µg/m <sup>3</sup>					



**Six Monthly Compliance Report –October 2022 to March 2023**
**Ambient Noise Monitoring Data**

Sl. No.	Parameter	Oct'22		Nov'22		Dec'22	
		Day	Night	Day	Night	Day	Night
	Standards	55 dB(A)	45 dB(A)	55 dB(A)	45 dB(A)	55 dB(A)	45 dB(A)
1	CCCPL Colony	48.6	36.8	50.4	38.4	47.4	38.7
2	Pedagarlapadu Village	50.6	40.6	52.4	42.8	42.9	33.4
3	Takkellapadu Village	52.8	44.2	49.6	40.5	41.5	32.9
4	Veerapuram Village	54.8	44.8	52.8	42.4	46.2	36.7

Sl. No.	Parameter	Jan'23		Feb'23		Mar'23	
		Day	Night	Day	Night	Day	Night
	Standards	55 dB(A)	45 dB(A)	55 dB(A)	45 dB(A)	55 dB(A)	45 dB(A)
1	CCCPL Colony	48.6	39.2	50.1	38.5	49.6	39.2
2	Pedagarlapadu Village	41.6	32.8	43.9	36.2	46.3	38.5
3	Takkellapadu Village	43.7	34.8	44.5	37.6	48.2	39.7
4	Veerapuram Village	44.1	34.3	45.8	36.4	46.8	38.9

**Work Zone Noise Monitoring Data**

Sl. No.	Parameter	Standards	Oct'22 - Dec'22 Noise Levels dB(A)	Jan'23 - Mar'23 Noise Levels dB(A)
1	Kiln Area	85 DB (A)	78.2	79.5
2	Cooler Fans Area		80.6	81.2
3	Coal Mill Area		80.4	78.5
4	Coal Mill Compressor Area		84.0	83.9
5	Cement Mill Area		79.1	78.3
6	Cement Mill Compressor Area		82.5	81.9
7	Central Control Room		64.6	63.4
8	Raw Mill/Preheater Area		76.3	75.2
Measured 3 Meter away from Source				

**ANNEXURE-9**

**Digital Display Board at Main Gate**



**EC accorded advertisement in News Papers**

