



TAMILNADU POLLUTION CONTROL BOARD

Category of the Industry :

RED

CONSENT ORDER NO. 2108136856135 DATED: 06/05/2021.

PROCEEDINGS NO.T2/TNPCB/F.0022ARY/RL/ARY/W/2021 DATED: 06/05/2021



SUB: Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT – M/s. CHETTINAD CEMENT CORPORATION PRIVATE LIMITED , S.F.No. SF Nos 6-11,25,27-29,38,40-45,49,51,52,89-91,93,95,97,98,101,118,119,123,125,126 parts, KEELAPALUR village, Ariyalur Taluk and Ariyalur District - Renewal of Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) – Issued- Reg.

REF: 1. Unit's application no. 36856135 dated 22-02-2021
2. IR.No : F.0022ARY/RL/JCEE-M/ARY/2021 dated 04/03/2021

RENEWAL OF CONSENT is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Managing Director
M/s.CHETTINAD CEMENT CORPORATION PRIVATE LIMITED,
S.F.No. SF Nos 6-11,25,27-29,38,40-45,49,51,52,89-91,93,95,97,98,101,118,119,123,125,126 parts,
KEELAPALUR Village ,
Ariyalur Taluk ,
Ariyalur District .

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending March 31, 2024

RATNAM
VIJAYABASKARAN

Digitally signed by RATNAM
VIJAYABASKARAN
Date: 2021.05.07 14:21:26 +05'30'

**For Member Secretary,
Tamil Nadu Pollution Control Board,
Chennai**



TAMILNADU POLLUTION CONTROL BOARD

SPECIAL CONDITIONS

- This renewal of consent is valid for operating the facility for the manufacture of products/byproducts (Col. 2) at the rate (Col 3) mentioned below. Any change in the product/byproduct and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
Product Details			
1.	ORDINARY PORTLAND CEMENT, PORTLAND POZZOLANA CEMENT & PORTLAND SLAG CEMENT	5.5	Million tons per annum
By-Product Details			
1.	NIL	00	MT
Intermediate Product Details			
1.	No Intermediate Product	0	Not applicable

- This renewal of consent is valid for operating the facility with the below mentioned outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
Effluent Type : Sewage			
1.	Sewage	280.0	On land for gardening
Effluent Type : Trade Effluent			
1.	No trade effluent	0.0	Not applicable



TAMILNADU POLLUTION CONTROL BOARD

Additional Conditions:

1. The unit shall connect the Flow data to CAC immediately to assess the generation of sewage effluent .
2. The unit shall improve operate and maintain the STP continuously and efficiently to satisfy the TNPCB standards in all the samples.
3. The industry shall operate and maintain the Combined STP efficiently and continuously to achieve the standards prescribed by the Board.
4. The industry shall utilize the treated sewage completely on land for Gardening after meeting standards prescribed by the Board.
5. The unit shall ensure that no trade effluent generated from the process.
6. The industry shall utilise /enhance the usage of Alternate Fuels and Raw materials (AFR such as Plastic wastes, Hazardous wastes) for Co- processing/Co-incineration in Cement Kiln so as to improve the Thermal Substitution Ratio (TSR). Also the unit shall provide necessary infrastructure facilities such as feeding system, conveyor systems, etc., for co processing.
7. The industry shall continue to take action for the establishment of AFR infrastructure in the year 21-22 to achieve the TSR as 10% for utilizing the MSW/Plastic Waste.
8. The industry shall furnish present TSR Ratio and action taken on Estt of infrastructure for the same with road map and with time line with authenticity within a month.
9. The unit shall not use 'use and throwaway plastics' such as plastic sheets used for food wrapping, spreading on dining table etc., plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness, within the industry premises. Instead it shall encourage use of eco friendly alternative such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plates/cups, cloth bag, Jute bag etc.,
10. This consent order does not absolve from obtaining necessary permission / clearance from other Authority or under other Statute as applicable.

RATNAM
VIJAYABASKARAN

Digitally signed by RATNAM
VIJAYABASKARAN
Date: 2021.05.07 14:21:53 +05'30'

For Member Secretary,
Tamil Nadu Pollution Control Board,
Chennai

To
The Managing Director,
M/s.CHETTINAD CEMENT CORPORATION PRIVATE LIMITED,
Chettinad Cement Corporation Private Limited
4th Floor , Chettinad Towers
603 Anna salai, Chennai ,Tamilnadu

,
Pin: 600006

Copy to:

- 1.The Commissioner, THIRUMANOOR-Panchayat Union, Ariyalur Taluk, Ariyalur District .
2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, ARIYALUR.
3. The JCEE-Monitoring, Tamil Nadu Pollution Control Board, Triuchirappalli.
4. File
