









Chettinad Cement , KW / DLM / Environmental Statement/ 2019-2020/ EHS-072  $30^{th}$  June, 2020

The Member Secretary,
Tamil Nadu Pollution Control Board,
76, Mount Salai, Guindy,
Chennai – 600 032.

#### Respected Sir,

Sub : Submission of Environmental Statement in "Form V" under Environment (Protection) Rules,1986 for the year 2019-20 - Dholipatti Limestone Mine of Chettinad Cement Corporation Private Limited, located at Dholipatti, Karikkali & Palayam Villages, Guziliamparai Taluk, Dindigul District, Tamilnadu - Extent of Mining Lease Area 138.785 ha - Mining Production Capacity 1.4 million tons per annum.

\*\*\*\*\*\*

With reference to the above, we hereby enclose the "Environmental Statement" in the prescribed format of Form V for the year 2019-2020 under Environment (Protection) Rules, 1986, pertaining to Our Dholipatti Limestone Mine (Extent of Mining Lease Area: 138.785 ha, Mining Production Capacity: 1.40 million tons per annum) located at Dholipati, Palayam & Karikkali Villages, Guziliyamparai Taluk, Dindigul District, Tamilnadu.

Kindly acknowledge the receipt of the same please.

Thanking you,
Yours faithfully,
for CHETTINAD CEMENT CORPORATION PRIVATE LIMITED,

V.KRISHNAN SENIOR VICE PRESIDENT [WORKS]

Copy to:

- 1. Regional Director, CPCB, Bangalore
- 2. Director, Regional Office, MoEF & CC, Chennai
- 3. The District Environmental Engineer, TNPCB, Dindigul

Chettinad Cement Corporation Private Limited.

Rani Meyyammai Nagar, Karikkali (Po), Guziliamparai (Via), Dindigul Dist - 624 703, Tamilnadu, India. T +91 4551 234431, 234441, 234602 F + 91 4551 234608 E karikkali@chettinadcement.com www.chettinadcement.com

#### **Head Office:**

4th Floor, Rani Seethai Hall Building, 603, Anna Salai, Chennai - 600 006, Tamilnadu, India. T +91 44 28292727, 42951800 (100 Lines) E info@chettinadcement.com F +91 44 28291558 www.chettinadcement.com

### FORM - V

(Rule 14 of Environment (Protection) Rules, 1986)

# Environmental statement for the financial year ending the 31st March 2020

#### PART - A

(i) Name and address of the owner / : occupier of the industry operation or process.

V.KRISHNAN,

Senior Vice President [Works] **Dholipatti Limestone Mines** 

Chettinad cement corporation Private Ltd., Rani Meyyammai Nagar, karikkali (PO), Guziliamparai Taluk, Dindigul District,

Pin - 624 703

(ii) Industry category

> Primary (STC Code) Secondary (SIC Code)

Red Large

1035- Mining and Ore beneficiation

(iii) **Production Capacity**  1.40 MTPA (million tons per annum)

(iv) Year of Establishment

2001

Date of Last Environment statement: 16th July, 2019

submitted

### PART - B

### Water and Raw Material Consumption

(i) Water Consumption - m<sup>3</sup>/day

Process (Dust Suppression, Green Belt

19.25

Development)

Cooling

NIL

Domestic

1.0

Name of the Product	Process water consumption* (m³) per unit (metric ton) of Product output		
Name of the Frounct	During the previous financial year 2018-2019	During the current financial year 2019-2020	
Limestone	0.015	0.011	

<sup>\*</sup>Water used for Dust Suppression & Greenbelt shown as process water consumption

### (ii) Raw Material Consumption:

Name of the raw materials	Name of the Products	Consumption of raw material per unit of Product output	
		During the previous financial year 2018-2019	During the current financial year 2019-2020



### PART - C

Pollution Discharged to Environment/unit of output (Parameter as specified in the consent issued)

	Quantity	Concentrations		
Pollutants	of Pollutants discharged (m³/day)	of pollutants in discharges (Mass/volume)	Percentage of variation from prescribed standards with reasons	
(a) Water	MAKA	rizioniv i A terevo eri	(I) Name and address of	
Trade Effluent	No Industrial Waste Water generated from the mining operation			
Sewage	Domestic Waste Water treated in septic tank followed by dispersion trench			
(b) Air - Ambie	nt Air Quality	oft and		
Pollutants	Quantity of Pollutants discharged (m³/day)	Concentrations of pollutants in Ambient Air (µg/m³)	Percentage of variation from prescribed standards with reasons	
PM 10	Contract to 71 tons pour	50.1	Compared to Norm Less by 50%	
PM 2.5		20.8	Compared to Norm Less by 65%	
SO <sub>2</sub> - 10.2		10.2	Compared to Norm Less by 87%	
NO <sub>2</sub>	-	19.2	Compared to Norm Less by 76%	
CO - 8105 A		114.5	Compared to Norm Less by 94%	

## PART – D HAZARDOUS WASTES

(As specified under [Hazardous Wastes (Management, Handling and Transboundry movement) Rules, 2016]

		Total Quantity Generated		
Hazardous Wastes		During the Previous Financial year 2018-2019	During the Current Financial year 2019- 2020	
(a)	From Process	No Hazardous Waste generated from Mine Operations		
(b)	From pollution control facilities	No Hazardous Waste generated from Pollution Control Facilities		

### PART – E SOLID WASTES

Solid Waste		Total Quantity Generated (metric ton)		
		During the previous financial year 2018-2019	During the current financial year 2019-2020	
(a)	From Process - Rejection (Top soil /Black cotton soil /Red Soil /Black waste rock)	202199	437406	
(b)	From pollution control facilities	No Waste generated from Pollution Control Facilities		
(c)	Quantity recycled or re- utilized within the unit	Not Applicable	Not Applicable	
	2. Sold	Not Applicable	Not Applicable	
	3. Disposed	Not Applicable	Not Applicable	

#### PART - F

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes

Name of the Wastes		Quantity	Characteristics	Disposal Practice Adopted
(1)	Hazardous Waste	No Hazardous Waste generated from Mining Operations		
(2)	Solid Waste Rejection (Top soil /Black cotton soil /Red Soil /Black waste rock)	Opening stock ( 01.04.2019) :15.18 Million tons Generation (Apr'19–Mar'2O):0.44Million tons Consumption/disposal (Apr'19-Mar'2O): NIL Closing stock ( 31.03.2020): 15.62 Million tons	Solid, Cao : <30% LSF : <70 Sio <sub>2</sub> : 20 - 40% Fe <sub>2</sub> O <sub>3</sub> : 2-10% Mgo : 1-4% Al <sub>2</sub> O <sub>3</sub> : 1-5%	Stored within the Mine at Dump Yard for carrying out reclamation work.

#### PART - G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production

Reduction of specific water consumption from 0.016 m³ to 0.012 m³ tons per ton of Production

### PART - H

Additional measures / investment proposal for environmental protection including abatement of pollution, prevention of pollution

Investment Proposal for Environmental Production for the year 2020-21

- Rs.2.0 lakhs for greenbelt development & plantation of saplings
- Rs 2.0 lakhs for additional rainwater harvesting structures

### PART - I

# Any other particulars for improving the quality of environment

- Regular maintenance of all mining machinery and vehicles ensured so that vehicular emissions are within prescribed limits
- Pollution Under Check certificates verified at the entry point for trucks entering Mine
- Good maintenance of roads ensured
- De-silting of garland drains carried out before monsoon to prevent carry over of solid particles
- So far around 10207 trees planted covering 6.62 ha @ 1542 trees/ha

Place : Karikkali-624703

Date: 30th June, 2020

THE THE TENT

Signature of the Authorised Person

Name : V.KRISHNAN

Designation : Senior Vice President [Works]