









Chettinad Cement, KW/ SLM GO.81, 26 & 22/Environmental Statement/2019-2020/EHS-074 $30^{\rm th}$ June, 2020

The Member Secretary,
Tamil Nadu Pollution Control Board,
76, Mount Salai, Guindy,
Chennai – 600 032.

Respected Sir,

Sub : Submission of Environmental Statement in "Form V" under Environment (Protection) Rules, 1986 for the year 2019-20 — Seethai Nagar Limestone mines, GO.81, GO.26 & GO.22 of Chettinad Cement Corporation Private Limited, located at Alambadi, Mallapuram & Karikkali villages, Guziliamparai Taluk, Dindigul District, Tamilnadu- Extent of Mining lease Area 379ha Mining production capacity 4.5 Million ton per annum.

With reference to the above, we hereby enclose the "Environmental Statement" in the prescribed format (Form V) 1986 for the year 2019-2020 under Environment (Protection) Rules, pertaining to our Seethai Nagar Limestone mine of GO.81, GO.26 & GO.22 (Total extent of Mining Lease Area: 379 ha, Mining Production Capacity: 4.5 million tons per annum) located at Alambadi, Mallapuram & karikkali villages, Guziliyamparai Taluk, Dindigul District, Tamilnadu

Kindly acknowledge the receipt of the same please.

Thanking you,
Yours faithfully,
for CHETTINAD CEMENT CORPORATION PRIVATE LIMITED,

V.KRISHNAN

SENIOR VICE PRESIDENT [WORKS]

Copy to:

- 1. The Regional Director, CPCB, Bangalore
- 2. The Director, Regional Office, MoEF & CC, Chennai
- 3. The District Environmental Engineer, TNPCB, Dindigul

Chettinad Cement Corporation Private Limited.

Rani Meyyammai Nagar, Karikkali (Po), Guziliamparai (Via), Dindigul Dist - 624 703, Tamilnadu, India. T +91 4551 234431, 234441, 234602 F + 91 4551 234608 E karikkali@chettinadcement.com www.chettinadcement.com

Head Office:

4th Floor, Rani Seethai Hall Building, 603, Anna Salai, Chennai - 600 006, Tamilnadu, India. T +91 44 28292727, 42951800 (100 Lines) E info@chettinadcement.com F +91 44 28291558 www.chettinadcement.com

FORM - V

(Rule 14 of Environment (Protection) Rules, 1986)

Environmental statement for the financial year ending the 31st March 2020

PART - A

Name and address of the owner / : V.KRISHNAN, (i) occupier of the industry operation or process.

Senior Vice President [Works] Seethai Nagar Limestone Mines,

(GO.81, GO.26 & GO.22)

Chettinad cement corporation Private Ltd., Alambadi, Mallauparm & Karikkali Villages Guziliamparai Taluk, Dindigul District

Tamilnadu, Pin - 624 703

(ii) Industry category

Primary (STC Code)

Red Large

Secondary (SIC Code)

1035- Mining and Ore beneficiation

(iii) **Production Capacity** 4.5 Million Tons / Annum (MTPA)

(iv) Year of Establishment 1996

(v) Date of Last Environment statement: 16th July, 2019

submitted

PART - B Water and Raw Material Consumption

Water Consumption - m³/day

Process (Water Sprinkling & Green Belt Development)

45.02

Cooling

NIL

Domestic

Name of the Product	Process water consumption* (m³) per unit (metric ton) of Product output	
Name of the Froduct	During the previous financial year 2018-2019	During the current financial year 2019-2020
Limestone	0.006	0.006

^{*}Water used for Dust Suppression & Greenbelt shown as process water consumption

(ii) Raw Material Consumption:

Name of the raw materials	Name of the Products	Consumption of raw material per unit of output		
		During the previous financial year 2018-2019	During the current financial year 2019-2020	

luction activity involves only mining

PART - C

Pollution Discharged to Environment/unit of output (Parameter as specified in the consent issued)

Pollutants	Quantity of Pollutants discharged (m³/day)	Concentrations of pollutants in discharges (Mass/volume)	Percentage of variation from prescribed standards with reasons
(a) Water	rice President I Works	porration or Senior	occupier of the inmatrice
Trade Effluent	No Industrial Waste Water generated from the mining operation. Domestic sewage water treated in septic tank followed by dispersion trench		
Sewage			
(b) Air (Ambient Air Quality)			
Pollutants	Quantity of Pollutants discharged (m³/day)	Concentrations of pollutants in Ambient Air (µg/m³)	Percentage of variation from prescribed standards with reasons
PM 10	Industrial and Theory water	и вест з 52.9	Compared to Norm Less by 47%
PM 2.5			Compared to Norm Less by 63%
SO ₂	at ki) mungit \ ano T no	10.6	Compared to Norm Less by 87%
NO ₂	-	19.6	Compared to Norm Less by 76%
CO		114.5	Compared to Norm Less by 94%

PART - D

HAZARDOUS WASTES

(As specified under [Hazardous Wastes (Management, Handling and Transboundry movement) Rules, 2008]

Hazardous Wastes		Total Quantity Generated	
		During the previous financial year 2018-2019	During the current financial year 2019- 2020
(a)	From Process	No Hazardous Waste generated from Lime Mine Operation	
(b)	From pollution control facilities	No Hazardous Waste generated from Pollution Control Facilities	

PART – E SOLID WASTES

		JOLID WAJILJ		
		Total Quantity Generated (metric ton)		
Solid Waste		During the previous financial year 2018 – 2019	During the current financial year 2019 - 2020	
(a)	From Process - Rejection (Top soil /Black cotton soil /Red Soil /Black waste rock)	. 1856826	2503815	
(b)	From pollution control facilities	No waste generated from Pollution control facilities		
(c)	Quantity recycled or re- utilized within the unit	Not Applicable	Not Applicable	
	2. Sold	Not Applicable	Not Applicable	
	3. Disposed	Not Applicable	Not Applicable	
			I	

PART - F

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes

Name of the Wastes		Quantity	Characteristics	Disposal Practice Adopted	
(1)	Hazardous Waste	No Hazardous Waste generated f	from Lime Mine Operation		
(2)	Rejection (Top soil /Black cotton soil /Red Soil /Black waste rock)	Opening stock (as on 01.04.2019): 44.25 million tons Generation (Apr'19 -Mar'20) : 2.50 million tons Consumption / Disposal (Apr'19-Mar'20) : NIL Closing stock (as on 31.03.2020): 46.76 million tons	Solid, Cao: <30% LSF:<70 Sio ₂ : 20 - 40% Fe ₂ O ₃ :2-10% Mgo: 1-4% Al ₂ O ₃ : 1-5%	Stored within the Mine at dump yard for carrying out reclamation work.	

PART - G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production

Achieved the specific water consumption less than 0.01 m³ tons per ton of Limestone

PART - H

Additional measures / investment proposal for environmental protection including abatement of pollution, prevention of pollution

Investment Proposal for Environmental Production for the year 2020-21

- Rs.2.5 lakhs for Green Belt Development & Plantation of saplings
- Rs.3.5 Lakhs for additional rainwater harvesting structures

PART - I

Any other particulars for improving the quality of environment

- Regular maintenance of all mining machinery and vehicles to ensured so that vehicular emissions are within prescribed limits
- Pollution under check certificate verified at the entry point for trucks entering Mines.
- Good maintenance of roads
- De-silting of garland drains to prevent carry over of solid particles
- So far around 14734 trees planted covering 10.69 Ha @ 1378/Ha

Place: Karikkali

Date: 30th June, 2020

(Signature of the Authorized Person)

Name : V.KRISHNAN

Designation: SENIOR VICE PRESIDENT [WORKS]