









Chettinad Cement,KW,TN / Dholipatti Mines/ Six Monthly Report / Apr'22-Sep'22/EHS-227 24<sup>th</sup> Nov, 2022

Regional Office (SEZ)
MoEF & CC, Government of India,

No.34, HEPC Campus, Cathedral Garden Road, Nungambakkam, Chennai – 600 034

Ph No. 044-28222056/48613477 Email ld: eccompliance-tn@gov.in

Dear Sir,

Subject : Submission of Six Monthly (April'2022 to September'2022) Compliance

**Report** of Environment Clearance for **Dholipatti Limestone Mines** of Chettinad Cement Corporation Private Limited located at Dholipatti, Karikkali & Palayam

Villages, Guziliamparai Taluk, Dindigul District, Tamil Nadu – 624703

Reference : Environmental Clearance F.No.J-11015/27/2000-IA 11(M) dated 19.03.2001

\* \* \* \* \* \* \* \* \*

We hereby submit the **Six Monthly Compliance report (April'2022 to September'2022)** pertaining to above referred Environmental clearance of our "Dholipatti Limestone Mines, mining lease area of 138.785 ha with a mining capacity of 1.40 million tons per annum located at Dholipati, Karikkali & Palayam Villages, Guziliamparai Taluk, Dindigul District, Tamil Nadu-624703.

Thanking you

Yours faithfully

for CHETTINAD CEMENT CORPORATION PRIVATE LIMITED

V.KRISHNAN

**JOINT PRESIDENT [WORKS]** 

Copy to:

1. Regional Director, CPCB, Bangalore, Email id : zobangalore.cpcb@nic.in

2. Member Secretary, TNPCB, Chennai, email id: tnpcbmembersecretary@gmail.com

3. JCEE, TNPCB, Madurai, email id: tnpcbjceemdu@gmail.com

4. DEE, TNPCB, Dindigul, email id: pcbdgl@gmial.com

**Chettinad Cement Corporation Limited** 

Rani Meyyammai Nagar, Karikkali Po, Guziliamparai (Via) Dindigul Dist 624 703, Tamilnadu, India. T +91 4551 234431, 234441, 234602 F+91 4551 234608 E-mail: karikkali@chettinadcement.com www.chettinadcement.com **Head Office:** 

4th Floor, Rani Seethai Hall Building 603, Anna Salai, Chennai 600 006 T +91 44 2829 2727, 4214 9955 E info@chettinadcement.com F +94 44 28291558 www.chettinadcement.com







# CHETTIAND CEMENT CORPORATION PRIVATE LIMITED Dholipatti Limestone Mines

Dholipatti, Karikkali & Palayam Villages, Guziliyampari Taluk, Dindigul District, Tamil Nadu

#### Six Monthly Compliance Report (Apr'22 - Sep'22)

[Mining lease area of 138.785 ha with a mining capacity of 1.40 million tons per annum]

### **CONTENTS**

Annexure No	Description of Report	Page Number					
Aillexure No	Description of Report	From	То				
1	Status of Compliance stipulated in Environmental Clearance	O1	07				
2	Ambient Air Quality data for Dholipatti Limestone Mines	08	09				
3	Noise Level data for Dholipatti Limestone Mines	10	11				
4	Ground Water Quality data	12	12				
5	Green Belt Development details & Photos	13	19				



## Chettinad Cement Corporation Private Limited Dholipatti Limestone Mines

Dholipatti, Karikkali & Palayam Villages, Guziliamparai Taluk, Dindigul, Tamilnadu -624703

### Status of compliance Stipulated in Environmental Clearance (For the Period of April 2022 to September 2022)

Reference : EC granted by MoEF vide Letter No F.No.J-11015/27/2000-1A 11(M) dated

19.03.2001 for Mining lease area of 138.785 ha with a mining capacity of 1.40 million tons per annum located at Dholipatti, Karikkali & Palayam Villages, Guziliamparai Taluk,

Dindigul District, Tamilnadu - 624703

Present Status of Project : Under Operation since 24.07.2001

#### A. Specific Conditions:

SI. No	Specific Condition	Compliance Status
i.	OB dump should be stacked at earmarked dump site(s) only and should not be kept active for longer period.	Complied  Over Burden has been stacked at earmarked dump site only. The OB dump is not kept active for longer period by using the same within the Mine Area for formation of bunds.
ii.	Top soil should be stacked properly with adequate measures at earmarked site. It should be used for reclamation and rehabilitation of mined out area.	Complied  Currently there is no stock of top soil as the same had already been used up for development greenbelt. The top soil generated in future will be concurrently used for greenbelt development.
iii.	The final angle of slope of waste dump (s) should not exceed 28°. A study shall be carried out to work out to find out maximum angle of repose and report to be submitted to the Ministry of Environmental and Forests.	Complied  The waste dump (mineral reject) is being stacked with proper slope (less than 28°) at earmarked location only with adequate measures like retention wall, trenches and gully plugs. The same will be used for reclaiming mined out pits. The un reclaimed pits will be left as rainwater harvesting pits.  The details of maximum angle of repose as per IBM approved Mining Plan included in the EIA Report and the same had been submitted to the Regional Office of MoEF, Bangalore.

SI. No	Specific Condition	Compliance Status
iv.	Provision should be made to interlock working of dust extractor with water injection system attached to drills so that if one system fails, the other gets automatically started.	Complied  Wet drilling and controlled blasting methods are being adopted to control air emissions during drilling and blasting.
V.	Information on occupational health of employees should be properly recorded and analysed. Any contractions observed especially due to exposure to dust and noise levels should be considered for corrective measures.	Complied Occupational health surveillance programme covering lung function test, audiometric, eye testing etc., being carried out on a regular basis and the records are being maintained. No abnormality has been observed so far.
vi.	The pathways presently in use in the area to be mined should be realigned so as to continue the access already available.	Not applicable as no path way exists inside the mining area.
VII.	Check dam and siltation ponds of appropriate size should be constructed to arrest silt and sediments flow from OB and minerals dumps. The water so collected should be utilized for watering the mine area, roads, green belt etc., The drain should be regularly desilted and maintained properly.	Complied  Garland drains & catch drains with required gradient & size, gully plugs and sedimentation sumps (in the Mine Pits) had been provided in the Mining Lease Area to prevent solid particles getting carried away by the rainwater and collect rainwater in the mined out pits. The rainwater collected is being used for sprinkling and greenbelt development. The drains and the sedimentation sump are being regularly desilted and maintained properly.
viii.	While mining is on, regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers. Frequency of monitoring should be four times in a year – Pre monsoon (April/May), monsoon (August), Post-monsoon (November) and winter (January) seasons. Data thus collected should be submitted to the ministry of environment & Forest and Central Ground Water Board Authority.	Regular monitoring of ground water level and quality is being carried out by establishing a network of existing wells manually at suitable locations in and around plant area on quarterly basis and also by installing 2 Nos of Piezometers.  The collected data's are being submitted to Ministry of Environment, Forest and Climate Change and its Regional Office, Chennai, Central Ground Water Authority and State Ground Water Board.  The consolidated Ground Water quality reports (Apr'22 to Sep'22) are hereby enclosed vide Annexure 4

SI. No	Specific Condition	Compliance Status
ix.	A greenbelt of adequate width by planting the native plant species all around the ML area, roads, OB dump sites etc., should be raised in consultation with local DFO / Agriculture Department. Plantation should be not less than 500 trees / Ha.	In consultation with forest department, green belt, along the in boundary of the mines, dump sites etc., has been developed.  So far 16270 Saplings (30 varieties such as Subabul, Asoka, Pungan etc.) have been planted.  Total Mine Area : 138.785 ha.  Area to be developed with greenbelt : 15.34 ha  Greenbelt Developed Area : 9.0 ha  Number of saplings planted so far : 16270 nos  Green Belt Development Photos are hereby enclosed vide Annexure 5.
X.	Controlled blasting should be practiced	Complied Controlled blasting is practiced as stipulated.
xi.	Crusher should be operated with high efficiency bag filters.	Complied Crusher had been provided with high efficiency bag filters to control dust emission.
xii.	A detailed mine decommissioning plan should be submitted to the Ministry of Environment & Forest 5 Years in advance for approval.	Complied As stipulated, mine closure plan will be submitted to the Ministry of Environment Forest & Climate Change, 5 Years in advance, for approval.
xiii.	No mining should be carried out within 500m of the Bangalore – Madurai BG Railway Line.	Complied  No mining is carrying out within 1000m of the  Bangalore – Madurai BG Railway Line.

#### **B.** General Conditions:

S.No	General Condition	Compliance Status
i.	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment and Forest.	Complied  No change in mining technology and scope of working will be made without prior approval of the Ministry of Environment, Forest & Climate Change
ii.	No change in the calendar plan including excavation, quantum of limestone, waste / OB dumps should be made.	Complied  No change in the calendar plan including excavation, quantum of limestone, waste / OB dumps will be made without prior approval from concerned authorities.

S.No	General Condition	Compliance Status							
iii.	Three Ambient Air Quality Monitoring stations should be established in the core zone as well as buffer zone for SPM, RPM, SO2, NOx and CO monitoring. Location of the ambient air quality stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the state Pollution Control Board.	The Ambient Air Quality (AAQ) is being monitore manually at 8 locations through external agency of monthly basis. In addition to the above, two numbers online CAAQMS (Continuous Ambient A. Quality Monitoring Station) installed to monitor the Ambient emission levels and same is being connected to Air Care Centre, TNPCB and CEMSCAPCR							
iv.	Data on ambient air quality should be regularly submitted to Ministry including its Regional office at Bangalore and the State Pollution Control Board / Central Pollution Control Board once in six months.	Complied  Data on ambient air quality is being regularly submitted to Ministry including its Regional office at Bangalore and Tamilnadu Pollution Control Board, Central Pollution Control Board once in six months.							
V.	Adequate measures for control of fugitive emissions should be taken during drilling and blasting operations, loading and transporting of minerals etc.,	Complied Adequate measures are being taken to control fugitive emission as given below.  a. Wet drilling and wetting of the places of operation  b. Water Sprinkling before loading and unloading the over burden  c. Water Sprinkling on the mined Limestone before loading into trucks  d. Water Sprinkling on the haul roads within the mine area  e. Using closed conveyors to send the Limestone to the Cement Plant  f. Bag Filters at transfer points to collect dust g. Ensuring Speed Control h. Avoiding overloading i. Good maintenance of vehicles and mining machinery							

S.No	General Condition	Compliance Status
vi.	Adequate measures should be taken for control of noise levels below 85 db in the work environment.	Complied Noise Control Measures like silencers for the equipment used for mining, Greenbelt along the boundary of the mine have been provided. The Mining Machinery/Vehicles used are being maintained well to ensure vibration / noise generated is well within the norms prescribed. The consolidated Noise level reports (Apr'22 to Sep'22) are hereby enclosed vide Annexure 3
vii.	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance programme of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied  Employees have been provided with Personnel Protective Equipment like helmet, safety shoes, safety goggles, dust mask etc., and use of the same is also being ensured by enhancing the safety awareness through adequate training and providing information on safety and health aspects.  Occupational health surveillance programme of the employees is being undertaken periodically to find out whether any abnormality due to exposure to dust is there. Corrective measures, if needed, will be taken.
viii.	The funds earmarked for Environmental Protection measures should be kept in separate account and not diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environmental & Forests.	Complied The funds earmarked for Environmental Protection measures will not be diverted for other purpose. Year wise expenditure incurred towards Environmental Protection measures is being submitted to the Ministry of Environmental & Forests. The expenditure incurred towards Environmental Protection during 2021-22 was Rs.2.50 lakhs.
ix.	The Regional Office this Ministry located at Bangalore shall monitor compliance of the stipulated environmental safeguards. The project authorities should send one set of EIA / EMP report and mining plan to them and extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data /information / monitoring reports.	Complied  Copies of EIA/EMP Report had been submitted to Regional Office of MoEF, Bangalore. Full cooperation to the officer(s) of the Regional Office will be extended by furnishing the requisite data /information / monitoring reports.

S.No	General Condition	Compliance Status
x.	The project authorities should inform to the Regional official located at Bangalore as well as to the Ministry of Environmental and Forest regarding date of financial closures and final approval of he project by the concerned authorities and the date of start of land development work.	Complied  As the internally accrued funds will be invested for the proposed expansion, this part of the condition is not applicable. The date of commencing land development work informed to the Ministry.
xi.	A copy of clearance letter will be earmarked to concerned Panchayat / Local NGO, if any , from whom any suggestion / representation has been received while processing the proposal.	Complied  A copy of the Environmental Clearance had been send to Gujiliyamparai Panchayat union.
xii.	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office / Tehsildar's office for 30 days	This is the responsibility of TNPCB.
xiii.	The project authorities should advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the state Pollution Control Board and may also be seen at website of the Ministry of Environmental & Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> and a copy of the same should be forwarded to Regional office of the Ministry located at Bangalore.	Complied  Advertisements in two local newspapers have been published regarding grant of Environmental Clearance and the copies of the same have also been submitted to MoEF Regional office at Bangalore.
xiv.	The Ministry or any other competent authority may stipulate any further condition for environmental protection.	Noted and the additional condition stipulated will also be complied with.

S.No	General Condition	Compliance Status
XV.	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance.	Guideline Noted.
xvi.	The above conditions shall be enforced, Inter-alia under the provisions of Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management and Handling) Rules. 2008 and the Public (Insurance) Liability, Act.1991 along with their amendments and rules.	Guideline Noted.

#### for **CHETTINAD CEMENT CORPORATION PRIVATE LIMITED**

V.KRISHNAN

JOINT PRESIDENT [WORKS]



(Dholipatti Limestone Mines)

Ambient Air Quality Data ( $PM_{10}$ ,  $PM_{2.5}$ ,  $SO_2 \& NO_X - \mu g/Nm^3$ ) from April'2022 to September'2022

Month		Jnion C tukallat				Mr.Muniyappan House at Kolichivadi (North East)				Mr.Kutti house at mochanaikkanur (East)				Near Security railway Gate (South East)				Permissible Limit			
		PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>		SO <sub>2</sub>	NO <sub>2</sub>		PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	
Apr-22	54.6	27.8	8.8	18.6	56.7	24.9	9.6	22.6	59.5	25.4	10.0	20.8	58.4	28.9	10.7	19.4					
May-22	56.7	26.4	10.1	24.6	57.2	27.5	9.6	21.3	57.1	25.0	9.0	20.2	58.2	24.3	10.7	19.5					
Jun-22	54.5	28.0	9.5	23.0	56.6	26.3	10.1	21.7	58.0	27.1	10.8	19.6	58.4	29.3	11.2	22.6					
Jul-22	56.7	26.9	9.9	20.6	54.0	28.0	10.8	19.6	57.1	28.6	9.0	22.4	58.9	25.5	10.2	23.0					
Aug-22	56.1	25.8	9.6	22.8	57.4	28.6	10.3	20.6	58.3	27.3	8.8	18.4	53.9	25.4	10.7	23.2	100	60	80	80	
Sep-22	58.0	24.3	9.0	21.4	56.7	27.5	10.8	19.3	55.4	26.8	9.6	20.1	54.1	28.8	10.0	23.0					
Max	54.5	24.3	8.8	18.6	54.0	24.9	9.6	19.3	55.4	25.0	8.8	18.4	53.9	24.3	10.0	19.4					
Min	58.0	28.0	10.1	24.6	57.4	28.6	10.8	22.6	59.5	28.6	10.8	22.4	58.9	29.3	11.2	23.2					
Avg	56.1	26.5	9.5	21.8	56.4	27.1	10.2	20.9	57.6	26.7	9.5	20.3	57.0	27.0	10.6	21.8					

Month	Near CEPL office at komittipati (South)					Perapankoundampati village (South West)				kanakupillaiyur Village (West)				Mr.Dharmalingam House at dholipatti (North West)				Permissible Limit			
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	
Apr-22	59.6	28.9	10.3	22.1	55.9	27.0	9.0	20.4	55.5	26.6	10.8	18.9	57.1	29.4	9.5	23.9					
May-22	54.6	24.8	9.5	20.3	55.8	25.2	10.2	21.9	58.7	28.3	10.8	22.6	57.3	26.5	8.9	18.8					
Jun-22	56.9	25.8	10.2	21.7	57.3	28.4	11.0	20.9	59.1	27.0	9.3	23.8	58.1	29.9	10.4	22.0					
Jul-22	58.6	26.7	10.8	20.5	55.7	29.3	9.5	21.3	57.3	28.1	9.0	19.6	59.2	28.1	10.2	22.8					
Aug-22	55.O	28.1	10.3	19.1	57.1	24.0	8.9	21.1	58.6	25.1	9.7	20.5	54.0	24.7	10.9	22.4	100	60	80	80	
Sep-22	53.6	29.6	10.8	18.3	55.6	27.1	9.6	20.5	57.1	24.0	10.2	22.7	58.1	23.8	9.0	21.1					
Max	53.6	24.8	9.5	18.3	55.6	24.0	8.9	20.4	55.5	24.0	9.0	18.9	54.0	23.8	8.9	18.8					
Min	59.6	29.6	10.8	22.1	57.3	29.3	11.0	21.9	59.1	28.3	10.8	23.8	59.2	29.9	10.9	23.9					
Avg	56.4	27.3	10.3	20.3	56.2	26.8	9.7	21.0	57.7	26.5	10.0	21.4	57.3	27.1	9.8	21.8					

for Chettinad Cement Corporation Private Limited

V.Krishnan


Joint President[works]







(Dholipatti Limestone Mines)


#### Trend Graph - Ambient Air Quality Data from April'2022 to September'2022





PM 10





NO<sub>2</sub>



(Dholipatti Limestone Mines)

Ambient Noise Level Data [dB(A)] from April'2022 to September'2022

Month	Union Office at Mettukallathur (North)		Mr.Muniyappan House at Kolichivadi (North East)		Mr.Kutti house mochanaikkanur (East)		Near Security railway Gate (South East)		office at komittipati (South)		Perapankounda mpati village (South West)		kanakupillaiyur Village (West)		Mr.Dharmalingam House at dholipatti (North West)		Permissible Limit	
	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time
Apr-22	51.9	41.6	51.3	41.9	52.4	42.2	50.8	42.0	52.3	42.8	52.7	42.1	51.7	43.0	51.9	42.7		
May-22	51.9	41.9	51.9	41.9	52.1	43.1	52.8	42.6	53.1	42.2	53.3	43.0	52.8	42.8	53.4	43.3		
Jun-22	51.4	41.5	51.9	41.6	53.2	42.3	51.6	52.5	52.7	41.3	51.1	43.0	51.8	41.7	52.1	41.6		
Jul-22	51.9	41.9	53.0	42.4	52.7	41.7	52.4	41.8	52.3	42.2	51.9	42.5	52.4	43.1	52.0	41.7		
Aug-22	52.9	42.4	52.7	42.9	51.9	42.5	51.7	42.6	52.1	42.7	51.9	43.2	52.6	42.4	52.5	42.2	55	45
Sep-22	52.6	42.1	52.6	41.7	51.7	42.1	52.5	42.7	52.5	42.4	51.7	41.8	52.3	41.7	52.4	42.8		
Max	52.9	42.4	53.0	42.9	53.2	43.1	52.8	52.5	53.1	42.8	53.3	43.2	52.8	43.1	53.4	43.3		
Min	51.4	41.5	51.3	41.6	51.7	41.7	50.8	41.8	52.1	41.3	51.1	41.8	51.7	41.7	51.9	41.6		
Avg	52.1	41.9	52.2	42.1	52.3	42.3	52.0	44.0	52.5	42.3	52.1	42.6	52.3	42.5	52.4	42.4		

Source Noise Level Data [dB(A)] from April'2022 to September'2022

	Crusher Area		Garage -	Permissible Limit		
Month -	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
Apr-22	62.3	42.5	61.8	41.7		
May-22	62.6	44.3	53.2	44.7	1	
Jun-22	62.6	42.2	61.4	41.9	1	
Jul-22	72.3	42.8	63.3	43.2	1	
Aug-22	68.4	43.1	60.9	43.4	75	70
Sep-22	62.2	42.3	62.6	42.4		
Max	72.3	44.3	63.3	44.7		
Min	62.2	42.2	53.2	41.7		
Avg	65.1	42.9	60.5	42.9		

for Chettinad Cement Corporation Private Limited

V.Krishnan


Joint President[works]






(Dholipatti Limestone Mines)


#### Trend Graph - Noise Level Data from April'2022 to September'2022




Ambinet Noise - Day Time (6 AM - 10PM)



Ambient Noise - Night Time (10PM - 6AM)



Source Noise - Day Time (6 AM - 10PM)



**Source Noise - Night Time (10PM - 6AM)** 



(Dholipatti Limestone Mines)

Ground Water Quality Data from April'2022 to September'2022

		<u> </u>	u muno		· j Dutu		pi ii 2022	- to oop.			
Sr.	Parameter	UoM	Karikkal		Dholipat	ti Village	Kottanath	am Village	Palayam	n Village	Acceptable
No	No		22.6.22	Sep-22	22.6.22	Sep-22	22.6.22	Sep-22	22.6.22	Sep-22	Limit
I. Physical Examination											1
1	Appearance	-	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear
2	Colour, Hazen Units	-	2	2	2	2	2	2	2	2	15
3	Odour	-	Agreeable							Agreeable	
4	pH value	-	7.96	8.09	8.01	7.89	8.05	8.23	7.99	8.02	6.5-8.5
5	Turbidity	NTU	0.50	0.30	0.30	0.90	0.50	0.40	0.30	0.80	5
6	Total dissolved Solids	mg/l	569	540	620	639	666	608	539	588	2000
_	7 Total suspended Solids mg/I BDL (DL: 2.0)									-	
	emical Examination	no a /l	NIII	NIII	NIII	NIII	NIII	NIII	NIII	NIII	
8 9	ph.Alkanity as CaCO <sub>3</sub> Total Alkanity as CaCO <sub>3</sub>	mg/l mg/l	NIL 154	NIL 148	NIL 167	NIL 182	NIL 160	NIL 170	NIL 113	NIL 156	600
10	Total Hardness as CaCO <sub>3</sub>		158	142	180	193	165	186	149	158	600
		mg/l								1	800
11	Calcium Hardness as CaCO3	mg/l	90	81	101	122	90	112	82	90	-
12	Magnesium Hardess as CaCO3	mg/l	68	61	79	71	75	74	67	68	
13	Calcium as Ca	mg/l	36	32	40	49	36	45	33	36	200
14	Magnesium as Mg	mg/l	16	15	19	17	18	18	16	16	100
15	Sodium as Na	mg/l	79	76	92	98	86	90	75	84	-
16	Iron as Fe	mg/l	0	0	0	0	0	0	0	0	0.3
17	Silica as SiO2	mg/l	g/l 43 36 46 51 37 48 40 41							-	
18	Manganese as Mn	mg/l	mg/I BLQ(LOQ:0.001)							0.3	
19	Free Ammonia as NH <sub>3</sub>	mg/l	g/l BDL(DL:O.O3)							0.5	
20	Nitrite as NO2	mg/l	BDL(DL:O.O1)							-	
21	Nitrate as NO3	mg/l	15	10	18	19	16	16	13	12	45
22	Chloride as Cl	mg/l	137	130	151	169	146	155	125	148	1000
23	Fluride as F	mg/l	0.2	O.3	O.3	0.3	0.3	0.3	0.2	0.2	1.5
24	Boron as B	mg/l	BLQ(LOQ:0.001)							1	
25	Copper as Cu	mg/l								1.5	
26	Free residual chlorine	mg/l								1	
27	Mineral Oil	mg/l	BLQ(LOQ:0.5)							0.5	
28	Sulphate as SO4	mg/l	51	53	63	72	58	66	50	59	400
29	Selenium as Se	mg/l	BLQ(LOQ:0.001)							0.05	
30	Anionic detergents as MBAS		mg/I BDL(DL:0.05)							-	
31	Prieriolic Compound as	mg/l								0.001	
32	C H OH Cadmium as Cd	mg/l								0.003	
33	Cyanide as CN	mg/l								0.05	
34	Lead as Pb	mg/I BLQ(LOQ:0.001)							0.01		
35	Mercury as Hg	mg/l	•							0.001	
36	Total Arsenic as As	mg/l								0.05	
37	Total Chromium as Cr mg/l BLQ(LOQ:0.001)								0.05		
III. Bacteriological Examination											
38	Total Coliform	-				Abser	nt / 100ml				Absent
BDL: Below Detectable Level, LOQ: Limit of Quantification, BLQ: Below Quanitication Limit										/100ml	
	BDL: Below Detectable Level, LOQ: Limit of Quantification, BLQ: Below Quantitication Limit										

for Chettinad Cement Corporation Private Limited

V.Krishnan

Joint President[works]





#### KARIKKALI WORKS /DLM

# CHETTINAD CEMENT CORPORATION PRIVATE LTD, KARIKKALI WORKS DHOLIPATTI LIME STONE MINES GREEN BELT DEVELOPMENT PHOTOS

Green Belt Developed area : 9.0 ha

So far, total no. of tree planted : 16270 nos as on 30.09.2022

1. Mines Office Back Side

Latitude : 10°71′54.31″ N Longitude : 78°10′71.08″ E















2. Mines Office & Magazine area Latitude : 10 °71'52.69" N Longitude : 78°10'69.21"E



















3. Crusher Area

Latitude : 10°71'31.41" N Longitude : 78°10'98.78" E



















4. Mines Area:

Latitude : 10°71'35.36" N Longitude : 78°11'14.21" E



















5. Canteen Area:

Latitude : 10°71'49.17" N Longitude : 78°10'85.96" E

















for CHETTINAD CEMENT CORPORATION PRIVATE LIMITED

V. Mondo.

V.KRISHNAN JOINT PRESIDENT [WORKS]

